



## **Declaration of conformity**

	_	00.0.						
For the following equipmer	t:							
Product Name: Switching F	ower Supp	oly						
Model Designation: GST16	0Ax(x=12,	15,20,2	4,36,48)					
is herewith confirmed to c were applied : RoHS Directive (2011		the rec	quirements se	t out in the	Council D	irective, th	e following standards	
Low Voltage Directive (	2014/35/E	: (U						
EN 60950-1:2006+A11+A1	+A12+A2			TUV certif	icate No :	S 5031243	4	
Electromagnetic Comp	atibility [	Directiv	/e (2014/30/	EU):				
EMI (Electro-Magnetic Int	erference							
Conducted emission	EN55032	:2015	2015 EN61204-3:2000			Class B		
Radiated emission	EN55032	2:2015	EN61204-3:2	2000			Class B	
Harmonic current	EN61000	-3-2:20	14					
Voltage flicker	EN61000	-3-3:20	13				Carlo Transport	
EMS (Electro-Magnetic S	usceptibili	ty)						
EN55024:2010+A1:2015	EN61204	-3:2000						
ESD air	EN61000	-4-2:20	09		Level 4	15KV		
ESD contact	EN61000	-4-2:20	09		Level 4	8KV		
RF field susceptibility	EN61000	-4-3: 20	06+A1:2008+	A2:2010	Level 2	3V/m		
EFT bursts	EN61000	-4-4: 20	)12		Level 2	1KV/5KH	z	
Surge susceptibility	EN61000	-4-5:20	14		Level 3	1KV/Line-	Line	
Surge susceptibility	EN61000	-4-5:20	14		Level 3	2KV/Line-	Earth	
Conducted susceptibility	EN61000	-4-6:20	14		Level 2	3V		
Magnetic field immunity	EN61000	-4-8:20	10		Level 2	3A/m		
Voltage dip, interruption	EN61000-	4-11:200	4 >95% dip 0.5	periods 30	% dip 25 per	iods >95%	interruptions 250 periods	
Note: The power supply is considered performance will be affected by complete system again. For guidance on how to perform the performance on the performance on the performance on the performance on the performance of the	the complet m these EM Directive for no-load	conditi	the final equipolease refer to 25/EC):	ment manufa	acturers mus	re-qualify El	MC Directive on the	
external power supplies EC	- 100 m		•					
This Declaration is effective from								
Person responsible for m			ration :					
(Manufacturer Name)	nology Co	,Ltd.						
No.77, Jianmin Road, Don	gqiao <sup>,</sup> Par	nyang Ir	nd. Park, Huar	ngdai Town	, Xiangche	ng District,	Suzhou, China	
(Manufacturer Address)  Bruce Jing/Senior Verification Engineer: (Name / Position)		The state of the s	Stuce Harvey He /Prod (Name / Position)			Manager :	Harvey (Signature)	
SuZhou		Jan. 3rd. 2017						

(Date)

(Place)